

Metadata

File Identifier

9d504cb6-8e60-b8d8-631a-e2a84ee84dcf

Language

Language Code

eng

Character Set

Character Set Code

utf8

Hierarchy Level

Scope Code

dataset

Hierarchy Level Name

dataset

Contact

Responsible Party

Individual Name

Geospatial Team

Organisation Name

Stats NZ

Role

Role Code

custodian

Date Stamp

Date

2019-11-27

Metadata Standard Name

ISO 19139 Geographic Information - Metadata - Implementation Specification

Metadata Standard Version

2007

Spatial Representation Info

Vector Spatial Representation

Topology Level Code

geometryOnly

Geometric Object Type Code

composite

Integer

64

Reference System Info

Reference System

Reference System Identifier

Identifier

Code

2193

Code Space

EPSG

Version

8.6.2

Identification Info

Data Identification

Citation

Citation

Title

CON2020_V1_00

Date

Presentation Form

Presentation Form Code

mapDigital

Abstract

This dataset is the definitive set of regional council constituency boundaries for 2020 as defined by the regional councils and Local Government Commission but maintained by Stats NZ (the custodian). Constituencies are established under the Local Electoral Act 2001 and result from the division of a region for electoral purposes. If a regional council decides to have a Māori constituency, the constituencies within the council are known as general constituencies and Māori constituencies. Constituencies are divisions of regional council areas. They are defined at meshblock level, and do not coincide with the statistical area 1 (SA1) geography or the statistical area 2 (SA2) geography. They are created, based on population, to be the voting areas within councils. Constituencies are required to reflect communities of interest. Their boundaries, so far as is practicable, coincide with those of territorial authorities or wards. The boundaries of constituencies may be reviewed before each three-yearly local government election. Regional councils must review their representation arrangements at least once every six years. The provisions for such reviews are in the Local Government Act 2002. Constituencies are numbered based on their corresponding regional council. Each constituency has

a unique four-digit code. The first two digits represent the regional council that the constituency lies within. The last two digits are sequential and represent the number of constituencies within a regional council. For example, the West Coast Regional Council (12) contains three constituencies, which are coded 1201, 1202, and 1203. Names are provided with and without tohutō/macrons. The column name for those without macrons is suffixed 'ascii'. This generalised version has been simplified for rapid drawing and is designed for thematic or web mapping purposes. Digital boundary data became freely available on 1 July 2007.

Purpose

This dataset is the definitive version of the annually released regional council constituency boundaries as at 1 January 2019 as defined by the territorial authorities and/or Local Government Commission, and maintained by Stats NZ. This version contains 58 constituencies, excluding area outside regional council constituency.

Credit

Stats NZ

Point Of Contact

Responsible Party

Individual Name

Geospatial Team

Organisation Name

Stats NZ

Contact Info

Contact

Address

Address

Electronic Mail Address

geography@stats.govt.nz

Online Resource

Online Resource

Linkage

URL

<https://datafinder.stats.govt.nz>

Role

Role Code

custodian

Descriptive Keywords

Keywords

Keyword

Downloadable Data

Descriptive Keywords

Keywords

Keyword

| Con

Keyword

| CON

Keyword

| constituency

Keyword

| regional council constituency

Keyword

| general constituency

Resource Constraints

| Constraints

| Use Limitation

| Creative Commons Attribution 4.0 International (CC BY 4.0)

Spatial Representation Type Code

| vector

Language

| Language Code

| eng

Character Set

| Character Set Code

| utf8

Topic Category Code

| boundaries

Version 6.2 (Build 9200) ; Esri ArcGIS 10.3.1.4959

Extent

| EX_ Extent

| Geographic Element

| EX_ Geographic Bounding Box

| Extent Type Code

| Boolean

| true

-180180-47.841491-33.559984

Distribution Info

| Distribution

| Distribution Format

| Format

| Name

| File Geodatabase Feature Class

Transfer Options

Digital Transfer Options

On Line

Online Resource

Linkage

URL

<https://datafinder.stats.govt.nz/layer/104247-constituency-2020-generalised/>

Data Quality Info

DQ _ Data Quality

Scope

DQ _ Scope

Level

Scope Code

dataset

Lineage

LI _ Lineage

Statement

Constituencies are based on the meshblock pattern. Non-alignment of meshblock and cadastral boundaries are one of a number of reasons for meshblock boundary adjustments. Other reasons include requests from local authorities, Local Government Commission, Electoral Representation Commission and to make census enumeration processes easier. From the meshblock pattern, higher geographies, including the 2020 constituency pattern, were dissolved using the dissolve tool in the Arc GIS suite.

Metadata Constraints

Legal Constraints

Use Limitation

Attribution 4.0 International

Use Limitation

<https://creativecommons.org/licenses/by/4.0/>

Use Constraints

Restriction Code

license